



NOVUM

Together we build a safe world for our children

We are at your service



Phone:
+48 89 621 21 12



E-mail:
export@novumgrom.com



Correspondence:
Novum
ul. Gnieźnieńska 2
12-100 Szczytno

The meaning of the pictograms used:



0.4m

Maximum fall height



23.5m²

Total area of the safe zone

0+

User minimum age





Why should you trust NOVUM?

Many years of experience

We have been operating since 1996 and we have gained extremely useful experience and skills in fabricating several types of materials



High quality of products

Materials used in our production are selected with care, thus quality of our products is under control



Necessary certificates

Production materials used in our production, as well as the designed and built devices, have the necessary certificates and approvals



Individual approach

At every stage of the investment you can count on our help and advice



Substantive support

We advise on both formal and technical issues for each project



Help in choosing devices

We help to suit the offer to the expectations, needs and capabilities of our customers



Service and warranty

We provide warranty and professional service



Design and visualization

We prepare professional projects and visualization of the entire investment



NOVUM Playgrounds

- tailored to your needs and requirements

Play equipment in **2** versions:

Version EXTRA PLUS ZINC (EPZ)



Roofs and panels are made of durable polyethylene boards resistant to weather conditions. Maintenance (painting) is not required.



Glue-laminated timber, longitudinally grooved.



The construction mounted on steel galvanised anchors.



Platforms made of anti-slip plywood.




Steel elements protected with a layer of zinc and powder coated.

Version METAL PLUS (MP)



Roofs and panels are made of durable polyethylene boards resistant to weather conditions. Maintenance (painting) is not required.



The devices have supporting posts made of steel profiles embedded directly in the ground.



Platforms made of anti-slip plywood.



Steel elements protected with a layer of zinc and powder coated.

NOVUM - General warranty:

10
years

HDPE elements (High-density polyethylene plastics).

The UV resistance is limited depending on the severity of the solar radiation and temperature. Above warranty period applies to the West European Countries with a temperate climate zone. In other cases the warranty is 5 years.

3
years

Steel poles, wood and glue-laminated poles, galvanized structural parts, beams and platform frames, metal parts with painted top layer, other stainless steel and aluminum parts.

2
years

Springs, polypropylene ropes and net constructions, movable metal and plastic parts, steel ropes, chains, polypropylene tunnels and slides, metal slides, concrete elements, other plastic parts, other wooden elements.

1
year

Rubber and rubber coated parts, nets and ropes in sport products, textile elements, fiberglass parts.

THE WARRANTY DOES NOT APPLY TO:

1. Damages resulting from the acts of vandalism, misuse or excessive strain.
2. If the product is assembled and/or installed in a manner contrary to NOVUM instructions.
3. If the purchaser has not performed and documented inspection and maintenance as directed in NOVUM playground instruction of use and handling (available on request).
4. All required maintenance must be carried out promptly and regularly over the life of the product.
5. For normal wear and tear, fading, discoloration.
6. Cosmetic issues from surface corrosion, scratches, dents.
7. Natural changes in wood (f.ex. cracks caused by changes in temperature and humidity).
8. If the product is being used or installed together with products not approved by NOVUM.
9. If the buyer does not inform the NOVUM or an authorized representative of a defect within 2 months from the moment when it was or should have been noticed.
10. The surface finish on metal components installed in structures within 500 meters from the seashore or chlorinated water - in that cases is half of the standard warranty period.
11. Losses of the paint coating in places of intensive used (f.ex footrests, handrails, ramps, stairs).

During the warranty period, NOVUM will within a reasonable time and in its sole discretion, repair or replace defective products. Parts to be exchanged or repaired will be sent to the buyer in the shortest possible time. Upon request, defective or non-conforming parts must be returned to NOVUM. The warranty of any replaced product or part there of shall remain valid until the end of the warranty period of the original product or part.

Authorized distributor is responsible for handling complaints on its territory. Purchaser must send warranty claims, with all necessary documents, including the invoice, location details, photos and description of the defect. In addition, the customer/distributor must, upon request, present NOVUM with a copy of documents indicating how inspection and maintenance procedures have been conducted. If the complaint is accepted, the replacement part will be sent to the buyer or the distributor for an approved address at NOVUM's discretion. If a dispute arises concerning the warranty, it shall be finally settled by arbitration in Poland at a location determined by NOVUM. All warranty periods begin on the date of NOVUM' invoice. We reserve the right to make design and structural changes in our products without notice. In warranty issues, please get in touch with your contact person.

Playground instruction of use and handling

A. Playground inspection

According to the European Standard PN-EN-1176-1 on purpose of increasing children safety at the playground area NOVUM recommends that the owner of playground should apply to the following instruction.

1. Regular inspection

The purpose of this inspection is to find an obvious danger that can be a result of vandalism, devastation caused by weather conditions or littering the playground with e.g. broken bottles. The control ought to be arranged at least once a week or more depending on intensity of use, kind of vandalism, age of playground equipment and used materials.

2. Functional inspection

Functional inspection is more detailed and aims to check functionality and stability of playground devices especially regarding its use. Inspection ought to be done once in a quarter. The subjects of inspection are: cleanness, clearance between device and ground surface, surface condition, expose foundations, sharp edges, lack of structural elements, damage of moving parts, playground compactness.

3. Annual basic control

This inspection must be arranged at least once a year and evaluate an overall safety level of playground equipment, foundation and surface condition, an impact of weather conditions, traces of decomposition and corrosion and also changes in the safety level as the result of already made repairs. The result of annual base inspection must be described in the checking list (according to below form) and stored together with other documentary belonging to the same playground set.

If any of above inspections revealed serious defects threaten the safety of users Novum recommends to promptly remove a danger or prevent its using to the time of repair.

All repairs must be noted in the inspection form.

During intensive use of playground devices its recommended to increase the frequency of control.

B. Handling and conservation

The regular devices and surface checks are recommended for children safety at the playground.

They include the following steps:

- maintenance of open space around the playground devices
- filling up the lacks in the falling space
- removing the sharp objects
- equipment cleaning
- tightening and strengthening of devices
- lubrication of moving elements
- welds checking
- renovation of wooden elements by using approved paints in accordance to International Standards.


Poland.

Expo2020.Dubai

The EXPO 2020 World Exhibition will be held in Dubai from October 1, 2021 to March 31, 2022. This is a global event that creates the opportunity to present and promote the country and its achievements on the international stage. Poland will be one of almost 200 countries that will take part in this unique event. The theme of the exhibition is „Connecting minds, we create the future”, while the subtopics that will be an opportunity for joint reflection and inspiration among both participants and visitors are „Opportunities”, „Mobility” and „Sustainable development”. The Polish Pavilion will stand in the part of the exhibition devoted to „Mobility”. Beautiful, modern in its form, presenting the subject of bird migration, the building was designed by the WXCA studio. NOVUM received a great distinction and was declared one from official EQUIPMENT PARTNERS OF THE POLISH PAVILION. In relation with the above, in the zone intended for the youngest visitors there will be external children’s play equipment designed and manufactured by the company. The opportunity to participate in this international undertaking is a great honor and prestige for our company. We want to use this time to present ourselves from the best side, show our potential, high quality of our products and establish new business contacts. The Polish Investment and Trade Agency is responsible for preparing Poland’s presence at the EXPO Dubai 2020 World Exhibition and cooperation with Partners



NOVUM AS ONE OF THE OFFICIAL EQUIPMENT PARTNERS OF THE POLISH PAVILION IN THE WORLD EXHIBITION **EXPO 2020 IN DUBAI**





Latest projects in Sweden



in Norway



in Austria





in Hungary





in Vietnam





in Poland





Collection TRIANGULO

The main load bearing posts are made of square, coreless, vacuum impregnated pine wood. They are double-grooved to prevent from extensive cracking. Each post is mounted on a steel, hot-dip galvanised anchor to protect wood from rotting. Security panels and roofs are made of HPL boards - an extremely durable high-pressure laminate resistant to weather conditions and UV radiation. Freshly coloured slides are made of polyester laminate. All railings and connectors are made of stainless steel. Durability and long life is guaranteed.



- structural element of the collection - double-grooved square poles made of vacuum-impregnated coreless wood
- protections and roofs are made of HPL board - unusual durable and resistant to weather conditions and UV high pressure laminate,
- polyester laminate slides,
- stainless steel fittings,
- polypropylene ropes with a steel core, resistant to weather conditions

TRIANGULO



1

The structural elements of the collection are made of double-grooved square poles made of vacuum-impregnated pine wood.

2

Protections and roofs are made of HPL board - extremely durable and resistant to weather conditions and UV high-pressure laminate.

3

High quality slides made of durable polyester laminate.

New **N**



4

Stainless steel fittings.

5

Weatherproof polypropylene ropes with a steel core.

6

Characteristic, bevelled pole ends.



Triangulo Set 17101



3+



Triangulo Set 17102



3+



Triangulo Set 17202



Triangulo Set 17103




Triangulo Set 17203



Triangulo Set 17201



Triangulo Set 17302



Triangulo Set 17301



TRIANGULO

Triangulo Set 17402



3+



More devices from the Triangulo collection can be found on our website
www.novum4kids.com



Triangulo Set 17401



3+






Collection



Robini





New exclusive series of devices created for very demanding users. Interesting and difficult to overcome entrances, several climbing walls, challenging passages stimulate action, require planning of movements and hence push the children to overcome obstacles. Massive, stainless steel construction poles, beautiful and durable acacia wood give this play line an unusual appearance and a prestigious character.

- **round poles of high-quality stainless steel mounted directly in the ground,**

- **all wooden elements made of extremely strong, weather-resistant acacia wood - robinia, protected with colourless glaze**

- **stainless steel connectors and slides,**
- **weatherproof polypropylene ropes with a steel core**

1

All wooden elements made of extremely durable acacia wood - robinia, secured with a colorless protective agent.




2


The structural element of the collection - round poles made of high quality stainless steel mounted directly in ground, finished with unique covers made of acacia wood - robinia.

3

Weatherproof polypropylene ropes with a steel core.



Collection Robini



4

Stainless steel fittings.

5

Stainless steel slides.

6


Characteristic, bevelled pole ends.



Robinio 18101




3+



Robinio 18102



3+



Robinio 18103



3+



Robinio 18104




3+



Robinio 18105



3+



Robinio 18201



3+



More devices from the Robinio collection can be found on our website
www.novum4kids.com

Robinio 18202


1.2m

44.5m²
3+



Robinio 18301


1m

29m²
1+



Robinio 18302


1.28m

64m²
3+



Robinio 18401


1.92m

77m²
3+





Q Collection Quadro



The devices from the Quadro collection offer great fun for both younger and older children. They come in several versions. Sets from the „Toddler” series have low anti-slip platforms, small slides, comfortable and safe entrances and many additional attractions in the form of games, manipulations and moving elements. Devices for larger children offer interesting entrances, climbing walls, gangways, ropes, tunnels and high slides, which are great places to unload children’s energy.







More devices from Quadro
collection on our website
www.novum4kids.com





Quadro collection features

- devices are available with wooden  or metal  poles
- two versions to choose from: Extra Plus Zinc, Metal Plus (description of the version on page 2)
- in Extra Plus Zinc version, the load-bearing elements are posts made of glue-laminated timber, lengthwise grooved, mounted on anchors
- in Metal Plus version, the support columns are made of high quality steel
- roofs and protections, depending on the version, are made of waterproof plywood or HDPE board
- non-slip platforms
- sets, especially for the youngest children, are equipped with manipulation walls and games

In the Quadro system we distinguish:

Toodler sets

Quadro 12319

0.72m

23.5m²

0+



Quadro 12320

0.72m

32m²

0+



Quadro 12432

0.59m

31.5m²

0+



Quadro 12530

0.59m

33.5m²

0+



Quadro 12482

0.59m

50.5m²

0+



Quadro 12408

0.72m

49m²

0+



Quadro 12328

0.72m

36.5m²

0+



Quadro 12512

0.9m

37.5m²

3+



In the Quadro system we distinguish:

Small sets

Quadro 1287



0.9m



26.5m²

0+



Quadro 1201



0.9m



38m²

0+



Quadro 12156



0.9m



51m²

3+



Quadro 12466



1.5m



38m²

3+



Quadro 1250



0.9m



25.5m²

3+



Quadro 1254



0.9m



35.5m²

0+



Quadro 1236



1.99m



35.5m²

3+



Quadro 12122



1.99m



42.5m²

3+



Large sets

Quadro 1231



Quadro 1238



Quadro 12494



Quadro 1204



Quadro 12368




Quadro 1203



Integration Set Quadro 12829



Integration Set Quadro 12376





Collection

Orbis



Devices from the Orbis collection come in several versions. Here you will find sets for toddlers and older children, platforms, towers and ships adored by sea adventures. The collection includes sets adapted for disabled children. Numerous climbing walls, interesting passages and bridges make the outdoor fun more attractive.







More devices
from Orbis collection
on our website
www.novum4kids.com



Features of the Orbis collection:

- devices are available with wooden  or metal  poles
- two versions to choose: Extra Plus Zinc, Metal Plus (version description on page 2)
- in Extra Plus Zinc version, the load-bearing elements are posts made of glued laminated timber, lengthwise grooved, mounted on anchors
- in the Metal Plus version, the support columns are made of high quality steel
- roofs and protection panels, depending on the version, are made of waterproof plywood or HDPE board
- anti-slip platforms
- sets, especially for the youngests, are equipped with manipulation walls and games

In the Orbis system we distinguish:

Sets for the youngest

Orbis 11652

0.58m

39.12m²

0+



Orbis 11238

0.58m

32m²

0+



Orbis 11487

0.9m

32m²

0+




Orbis Mini I 11237

0.58m

22m²

0+



Orbis 11637

1.2m

26.5m²

3+

N
New



Orbis 11611

1.2m

28m²

3+

N
New



Orbis 11485

1.2m

44m²

3+

N
New



Orbis 11492

0.9m

89.5m²

0+

N
New



In the Orbis system we distinguish:

Platforms & Towers

Orbis 1130



0.9m



27m²

3+



Orbis 1138



1.2m



31m²

3+



Orbis 1104



1.2m



30m²

3+



Orbis 1139



1.2m



41m²

3+



Orbis 1125



1.8m



59m²

3+



Orbis 1124



1.2m



65m²

3+



Tower 1145



1.5m



51.5m²

3+



Tower 1147



1.8m



84.5m²

3+



More devices from the Orbis collection can be found on our website
www.novum4kids.com

Ships

Diase's Ship 11120



1.2m



54m²

3+



Magellan's Ship 11110



1.2m



63.5m²

3+



Columb's Ship 1148



1.2m



74m²

3+






Ferrum Collection

” The Ferrum collection is made of metal. It includes a huge bridge, over 10 meters long, large swings with a stainless steel frame, fitness equipment - tunnel-climbing frames and trampolines. It's a perfect equipment for playgrounds for slightly older children, those who like challenges and value physical activity. ”



More devices from the
Ferrum collection can be
found on our website
www.novum4kids.com





Ferrum collection features:

- frame made of solid metal pipe with a diameter of 114.3 mm
- anti-slip platforms
- 16-18mm polypropylene ropes with a steel core, resistant to weather conditions
- all rope connectors and fittings resistant to weather conditions and UV radiation
- jumping mat made of modular connectors interspersed with steel cables
- upper surface of trampolines made of safe surface EPDM flush with ground level

Bestsellers from the Ferrum collection:

Lighthouse Ferrum 1401

 1.02m

 55m²

3+




Serpentine Bridge Ferrum 42142

 3m

 107m²

7+



Swing Ferrum 3155

 1.22m

 27m²

3+



Swing Ferrum 3186

 1.49m

 50.5m²

3+




Square Trampoline 42139

 0.6m

 22.37m²

3+




Round Trampoline 42140

 0.6m

 19.63m²

3+



Multiclimber Ferrum 1303

 2.44m

 43.4m²

5+



Multiclimber Ferrum 1328

 2.44m

 77.9m²

5+





Collection

Action4Kids



Modern sets of Action4Kids devices made of the highest quality materials will ensure long and unrestricted fun. Climbing walls, arched entrances and ladders are a treat for adventurers.

The devices are ideal for urban spaces as well as more intimate places designed for children. Their great advantage is that they do not require maintenance and are resistant to vandalism.





Action4Kids collection features

- structural elements made of steel round tube with a diameter of 114 mm
- steel elements protected against corrosion with a layer of zinc and powder coating
- panels made of resistant HDPE polyethylene boards
- anti-slip platforms
- durable polypropylene ropes with a steel core

In the Action4Kids system we distinguish:

Sets for the youngests

Action4Kids 1901

0.9m
22.5m²
3+



Action4Kids 1922

1.2m
30m²
3+



Action4Kids 1964

0.9m
33.5m²
3+



Action4Kids 1910

1.5m
48.4m²
3+




Action4Kids 1921

1.63m
25.7m²
3+



Action4Kids 1917

0.9m
52.5m²
3+




Action4Kids 1934

0.6m
40.1m²
0+



Action4Kids 1914

1.5m
52.1m²
3+



Sets for older children

Action4Kids 1919


1.64m


33.4m²

3+



Action4Kids 1933


2.95m


40.8m²

3+



Action4Kids 1907


3m


41.14m²

3+



Action4Kids 1915


3m


58.7m²

3+



Action4Kids 1945


2.02m


66m²

3+




Action4Kids 1912


2.5m


55.4m²

3+



Action4Kids 1911


2.65m


49m²

3+




Action4Kids 1924


3m


85.6m²

3+





Collection

Mini Climbing Trials

» Mini Climbing Trials is a system of various obstacles in the form of ladders, climbing frames and movable bridges stretched low above the ground.

Low-set platforms do not require supportive security, anti-slip landings increase the safety of users. The use of mini rope park equipment does not require specialized belaying equipment. » They are constructed so that they do not require excessive maintenance.



More devices from the
Mini Climbing Trials
collection can be found on
our website
www.novum4kids.com





Mini Climbing Trials features

The devices are available in 2 versions

Wood




- wooden stations: glued, impregnated pine wood
- platforms: steel frame with wooden beams
- assembly: in the ground on a steel anchor

Steel



- metal stations: protected against the corrosion with a layer of zinc and powder coating with polyester paints, resistant to weather conditions
- platforms: HDPE board with anti-slip coating, non-delaminating and non-breaking, UV resistant
- assembly: directly in the ground

Wooden version




Mini Climbing Trial 1601


2.08m


64.79m²

3+



Mini Climbing Trial 1602


2.08m


112.5m²

3+

both sets are also available in the steel version

Steel version



Mini Climbing Trial 1603


2.15m


79.18m²

3+



Mini Climbing Trial 1607


2.15m


97.58m²

3+

both sets are also available in the wood version

More devices from the Mini Climbing Trials collection can be found on our website www.novum4kids.com



Free-standing Devices

» There will always be room for free-standing complementary equipment in the play and leisure areas. Our extensive range includes spring rockers loved by children, seesaws and swings, carousels, slides, trains, houses and arbours.

We also manufacture sandboxes, manipulation, climbing nets and fitness equipment. We also offer high-quality furnishings in small architecture, i.e. benches, bins, bicycle stands, information boards and fences.





More free-standing
devices can be found on
our website
www.novum4kids.com





Free-standing devices features

- spring rockers mounted in the ground with solid concrete blocks or metal anchors
- galvanized connecting elements, covered with plastic plugs
- wooden elements made of glue-laminated, lengthwise grooved wood, secured with a protective agent
- steel elements protected against corrosion with a layer of zinc and powder coating
- several elements are made of HDPE polyethylene boards



Integration Carousel
3231



3+

Among the free-standing devices we distinguish:

Spring Rockers

Horse Rocker 3001

0.6m

10m²

1+



Giraffe Rocker 3003

0.6m

9.5m²

1+




Rooster Rocker 3002

0.6m

9.5m²

1+




Airplane Rocker 3038

0.6m

16.5m²

1+



Helicopter Rocker 3032

0.6m

10.5m²

1+



Scooter Rocker 3004

0.6m

9.5m²

1+



Dino 2 Rocker 3040

0.6m

10m²

1+



Double Rocker A4K 3074

0.6m

10.5m²

1+



Spring Rocker A4K 3075

0.6m

9.5m²

1+



Integration Devices

Integration Swing 31189

0m

30.5m²

3+




Integration Rocker 3091

0m

10.5m²

3+



Carousels

Disc Carousel 120 - 3201



1m



21m²

3+



Disc Carousel with seat 3203




1m



24m²

3+



Cross Carousel 3204



1m



27m²

3+



Post Carousel 3232



0.4m



29.5m²

3+



Seesaws

Seesaw 3107




0.6m



10.5m²

3+



Seesaw 31151



0.95m



11m²

3+



Seesaw 3109



0.8m



11.5m²

3+



Seesaw 3163



0.85m



14m²

3+



Among the free-standing devices we distinguish:

Parent and Child Seat **9046**



Basket Seat **9002**



Straight Seat **9001**



Birdnest Seat **9004**



Swings

Triangulo Swing **31203**

Seats sold separately. Optionals: Strait Seat, Birdnest, Basket, Parent and Child



1.30m



13m²

3+



Triangulo Swing **31208**

Seats sold separately. Optionals: Strait Seat, Birdnest, Basket, Parent and Child



1.30m



21.1m²

3+



Triangulo Swing **31213**

Seats sold separately. Optionals: Strait Seat, Birdnest, Basket, Parent and Child



1.30m



33.5m²

3+



Triangulo Swing **31218**

Seats sold separately. Optionals: Strait Seat, Birdnest, Basket, Parent and Child



1.30m



41.8m²

3+



Robinio Swing **31221**

Seats sold separately. Optionals: Strait Seat, Birdnest, Basket, Parent and Child



1.30m



13m²

3+



Robinio Swing **31222**

Seats sold separately. Optionals: Strait Seat, Birdnest, Basket, Parent and Child



1.30m



21.1m²

3+



Swings

Quadro Swing 31202

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Quadro Swing 31207

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Quadro Swing 31212

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Quadro Swing 31217

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Orbis Swing 31201

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Orbis Swing 31206

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Orbis Swing 31211

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Orbis Swing 31216

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child



3+



Among the free-standing devices we distinguish:

Swings

Metal Swing 31205 (Quadro)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

13m²

3+



Metal Swing 31210 (Quadro)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

21.1m²

3+



Metal Swing 31215 (Quadro)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

33.5m²

3+



Metal Swing 31220 (Quadro)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

41.8m²

3+



Metal swing 31204 (Orbis or A4K)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

13m²

3+



Metal swing 31209 (Orbis or A4K)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

21.1m²

3+



Metal swing 31214 (Orbis or A4K)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

33.5m²

3+



Metal swing 31219 (Orbis or A4K)

Seats sold separately. Options: Strait Seat, Birdnest, Basket, Parent and Child

1.30m

41.8m²

3+




Among the free-standing devices we distinguish:

Slides:

Slide Dino 2123



0+



Slide Circles 7202




0+



Elephant Slide 2120



0+



180 Slide 2119



3+




Themed vehicles

Happy Tram 3505



3+



Locomotive 12279



0+



Trolley 12358



0+



Auto 3512



3+






Sandpits

Sandpit 3702



0+



Sandpit 3701



0+



Sandpit 3703




0+



Sandpit 3713



0+



Sandpit 3772




0+



Sandpit 3729



0+



Houses and arbours

House 3321



0+



House 3332



3+




Climbing Nets

Climbing Net 4301




7+



Climbing Net 4303




7+



Climbing Net 4304




7+



Climbing Net 4318




3+



Climbing Net 4305



7+




Fitness devices

Climbing Tripod 42208




3+



Climbing Wall 4505



5+



Multiclimber 1938




3+



Climbing Polygon 1702



3+



Manipulations

Manipulation **7208**



9.5m²

0+



Manipulation **7204**



9.5m²

0+



Manipulation **7205**



9.5m²

0+




Manipulation **3603**



10.5m²

0+



Manipulation **3646**



17m²

0+



Instruments

Xylophone **3813**



Marimba **3814**



Chimes **3815**



Bins

Bin **5203**



Bin **5210**




Bin **5216**



Among the free-standing devices we distinguish:

Bicycle stands


Rack 5402



Rack 5405




Rack 5401




Rack 5431



Rack 5429



Rack 5413



Benches

Bench 3343



Bench 5117



Bench 5007



Bench 50106



Bench 50122



Bench 50108





Devices

StreetWorkout

” Street Workout is a system for strength exercises.

Such trainings are extremely spectacular, they develop all muscle groups, improve coordination, condition and fitness of the body. The most popular exercises are pushups, crunches, bridges and dips using rods, ladders and posts.

”




StreetWorkout collection features:

- supporting poles made of 90 x 90 mm square profile concreted in the ground to a depth of 80 cm
- structural elements made of pipes with di. 33.7 mm
- steel elements protected with a layer of zinc and powder coating with polyester paints
- there is a possibility of painting equipment in any RAL color

StreetWorkout

StreetWorkout 1501


2.34m


62.7m²

10+




StreetWorkout 1502


2.34m


48m²

10+




StreetWorkout 1527


2.34m


130.5m²

14+




StreetWorkout 1506


1.22m


17m²

10+




StreetWorkout 1509


2.34m


45m²

10+



StreetWorkout 15138


2.11m



20.3m²

14+




StreetWorkout 15125




2.73m



101m²

14+




StreetWorkout 15140




2.35m


37.5m²

14+





Devices Fitness Park

» There is more and more talk about the need for movement and active leisure.

Outdoor gym equipment that is intended for all adult users and allows exercising all muscles and body parts fits into this trend.

The collection of steel equipment for outdoor gyms increases the attractiveness of parks, squares, estates, playgrounds, beaches, sports facilities and sanatoriums.





Full range of fitness equipment at www.novum4kids.com

Features of the Fitness Park collection:

- fitness devices are available in 2 versions: pylon mounted and free standing
- devices made with 114mm steel pipes with a 3.2mm wall
- steel protected with a layer of zinc and powder coating
- seats and back rests made of HDPE
- elements ended with plastic caps

In the Fitness system we distinguish:

Pylon mounted devices

Fitness 4401



Fitness 4410



10.3m²

7+

Fitness 4413



10.8m²

7+

Fitness 4414



9.2m²

7+

Fitness 4420



10.7m²

7+

Fitness 4411



8.4m²

7+

Free-standing devices

Fitness 4404W



13.9m²

7+

Fitness 4416W



14.4m²

7+

Fitness 4405W



14.7m²

7+

Fitness 4411W



13.3m²

7+

Fitness 4421W



12.7m²

7+

Fitness 4403



18.1m²

7+



NOVUM

Gnieźnieńska 2
12-100 Szczytno
Poland

Tel. +48 89 621 21 12

E-mail: export@novumgrom.com

www.novum4kids.com



We export to over 40 foreign countries,
but we are still looking for new distributors!